



# LANCASTER COUNTY FIRE CHIEFS ASSOCIATION, INC.

## Apparatus Standards Checklist

### Rescue

**Date of Inspection:** \_\_\_\_\_

\_\_\_\_\_ Optional: Verification of compliance with the National Fire Protection (NFPA) Standard (Std.) 1901 for Automotive Apparatus.

Verification of Ground Ladder certification in accordance with NFPA Std. 1931, Design of and Design Verification Tests for Fire Department Ground Ladders.

Date: \_\_\_\_\_ Manufacturer: \_\_\_\_\_

List any Waivers: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

\_\_\_\_\_ Generator – minimum of 12.5 KW.

\_\_\_\_\_ 3 Prong, 20 AMP NEMA L5-20 R Electrical Connections.

\_\_\_\_\_ SCBA – (4) minimum in a riding position and (4) spare bottles.

\_\_\_\_\_ Lights – total capacity of at least 6,000 watts, 2,000 watts must be portable.

\_\_\_\_\_ Cribbing – sufficient quantity to form at least (2) 3 ft. box stacks.

\_\_\_\_\_ Jimmi jacks – minimum of (2).

\_\_\_\_\_ Power hydraulic extrication tool – minimum of 5,000 psi or greater with cutter, spreader, (2) rams, and power unit.

\_\_\_\_\_ Porta power – minimum 4 ton rating.

\_\_\_\_\_ Air bags, minimum of (6) – assortment should be equal or greater than 100 ton lifting capacity.

\_\_\_\_\_ Come along – minimum of (1), 1.5 ton capacity.

\_\_\_\_\_ Air chisel – minimum of (1).

\_\_\_\_\_ Impact wrench – minimum of (1).

\_\_\_\_\_ 1/4 inch NPT low pressure air fittings.



# LANCASTER COUNTY FIRE CHIEFS ASSOCIATION, INC.

## Apparatus Standards Checklist

### Rescue (Contd.)

- \_\_\_\_\_ Reciprocating saw – minimum of (1) with spare blades.
- \_\_\_\_\_ Tool kit – full set of tools including sockets both standard and metric.
- \_\_\_\_\_ First Aid equipment – minimum of (1), medical jump bag.
- \_\_\_\_\_ Long backboard with strapping assembly – minimum of (1).
- \_\_\_\_\_ Snatch blocks with rope and cable – minimum of (1).
- \_\_\_\_\_ Rescue rope – minimum of 500 ft.
- \_\_\_\_\_ Service rope – minimum of 300 ft.
- \_\_\_\_\_ Rappelling harness – minimum of (2).
- \_\_\_\_\_ Rappelling equipment – carabineers, webbing, etc.
- \_\_\_\_\_ Stokes basket – minimum of (1).
- \_\_\_\_\_ Salvage covers – minimum of (2).
- \_\_\_\_\_ Container of plug and dike.
- \_\_\_\_\_ Smoke or PPV fan – minimum of (1).
- \_\_\_\_\_ Irons, Marriage (Example: Halligan and Flat Head Ax) – minimum of (1) set.
- \_\_\_\_\_ Rabbit tool or similar device – minimum of (1).
- \_\_\_\_\_ K-tool with key tools.
- \_\_\_\_\_ Bolt cutters – minimum of (1).
- \_\_\_\_\_ Rescue saw with assorted blades – minimum of (1).
- \_\_\_\_\_ Fire Extinguishers – minimum of (1) Water, (1) ABC.
- \_\_\_\_\_ Chains and tow straps, assorted lengths.
- \_\_\_\_\_ Shovel – minimum of (1).



# LANCASTER COUNTY FIRE CHIEFS ASSOCIATION, INC.

## Apparatus Standards Checklist

### Rescue (Contd.)

\_\_\_\_\_ Drill – minimum of (1).

\_\_\_\_\_ Ladder with total footage of 10 ft. – minimum of (1).

\_\_\_\_\_ Rope throw bags – minimum of (2).

\_\_\_\_\_ Absorbent.

\_\_\_\_\_ Personal flotation devices – minimum of (2).

PASS: \_\_\_\_\_ FAIL: \_\_\_\_\_

Re-inspection Date: \_\_\_\_\_

Comments: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Inspector Signature: \_\_\_\_\_

Inspector Signature: \_\_\_\_\_

